

Index

Numerics

105 System 336
16th Tone Piano 94
1867 Exposition in Paris 13
3M 267, 338
microfinishing film 202
409 89

A

- Abel 66, 71, 72, 340, 383
hammers 72, 384
Naturals 71
Abrasive cord 338
Abrasives, in buffing compounds 364
ABS
Carbon 17, 66
Styran 66
Absolute humidity 84
Absolute Piano Restoration 236, 288, 292, 313, 314, 394, 459, 466
Académie Royale des Sciences 3
Accelerated Action 59, 164, 300, 315, 347, 496
Accu-Tuner 125
Acetone 338, 384
Acid, used in making hammer felt 71, 384
Acoustic Glue (see "Bolduc, Acoustic Glue")
Acousticraft 203
Acoustics, of room 209
Acrylic 215, 217
as hammer felt hardener 217
for key tops 354
AcryliKey 238
Action 24, 63
Accelerated in Steinways 59, 315, 347
Birdcage design 68
bracket 22
bracket bolt 140
brackets, expanding 142, 149
bumping type 3, 5
cloth (Sticker cloth) 340
composite parts 375
compressed 68
diagram 64
Double Repetition in verticals 77
double-escapement 5, 12
dropped 68, 113, 140, 320
English 9
escapement of jack 76
Fandrich 68
frame stability in verticals, inspecting 191
geometry 273, 303
geometry troubleshooter 304
grand, inserting into the piano 137
grand, rebuilding 373
grand, regulating 166
grand, removing 136
grand, removing from keyboard 379
grand, rough-regulating 394
grand, transporting 137
grand, types 63
Herz-Érard 63, 320
how it works 76
in relation to damper 77
leather 341
leverage (see also "Distance leverage," "Weight ratio") 279
leverage, altering 312
leverage, changing through key travel 283, 284
missing notes 82
modifying 378
parts with flanges, traveling 168
parts, comparing in grands 376
parts, repinning and rebushing 244
parts, rubbing 153
parts, sluggish due to verdigris 246, 374
parts, testing the fit in grands 377
parts, to rebuild or replace 374
parts, traveling, squaring, aligning 167
push type 3
rails 66
rails, repairing 240
rebuilding, overview 325
regulating 166
regulating on the bench 141
regulation, effects on tuning 129
removing 136
removing from keyboard 154
repairing 240
repetition, speed of 77
Schwander 77
single-escapement 4
spread 149, 280, 282, 287, 315
tape-check 11
troubleshooters 304
Tubular Metallic Frame 66, 68
vertical 68
vertical, development of 15
vertical, Double Repetition 77
vertical, rebuilding 408
vertical, regulating 189
vertical, removing 140
vertical, rough-regulating 416
Viennese 3, 341
Action Geometry Program 273
Action rack
checking 152
repositioning 315
Action spread 282
Acu-Just 56, 424, 427, 428, 429, 430, 432, 433, 434, 436
Adhesive tape 337
Adhesives (see "Glue")
Adjustable Leverage Action 315
Adrien de la Fage 76
Aeolian mode 94
Affleck Piano Tuning 419
Aftertouch
adjusting in verticals 195
checking 153
grand, regulating 173
insufficient 171
recording 344
Agraffe 13, 21, 22, 56
broken, extracting 262
friction 131
reamer 437
Agrafes
facing off 439
grooved, effects on tuning 132
reducing height of 439
replacing 436
to rebuild or replace 326
Air
dehumidifying 85
humidifying 86
Air conditioner 86, 328
Albert Steinway 13, 76
Alcohol 144, 145, 147, 155, 156, 158, 161, 179, 182, 191, 213, 217, 221, 237, 238, 264, 265, 337, 338, 352, 353, 356, 437, 439, 449, 478
as sizing agent 215, 491
as solvent for shellac 480
as suspension for blue chalk 449
as suspension for chalk 240, 364, 365
denatured 144
ethyl 144, 222
for reflowing finish 481
isopropyl 144, 222
methyl 144
rubbing 89, 90, 136, 144
Alcohol lamp 156, 168, 169, 194, 196, 243
Aleene's 336, 358
Alexandre-Françoise Debain 76
Alfons Huber 3
Alfred Dolge 4, 5, 13, 14
Aligning
action parts 167
grand damper heads 183
Alignment of hammers, checking in grands 149
Aliquot 36
Allen Wright 89, 157, 171, 211, 213, 228, 237, 261, 423, 425, 472
Allied Piano/LakeOne USA 263, 265, 483
Alpheus Babcock 12, 15
Altering action leverage ratio (see "Action, leverage")
Aluminum oxide 338
Aluminum piano 25
Amazing GOOP 336

- American Steel & Wire Company 44
 Americus Backers 7
 André Bolduc 259, 472, 473
 André Oorebeek 157, 208
 André Stein 8
 Andrea Coen 2
 Angle of grain in soundboards 49
 Angle vise 387
 Anodized aluminum capstans 314
 Antique Finishers 335
 Antique pianos, rebuilding 319
 Antoine Bord 13
 Anton Stelzhammer 25, 27
 Anton Walter 5, 6
 Apostles, twelve 8
 Applicators for hammer hardener 218
 Apron in bass bridges 20, 40
 Ari Isaac 384
 Arledge Music Wire 422
 Ascending intervals 95
 Assembly 65 (see "Franklin glue")
 Assist spring (see "Wippen assist spring")
 Attack 43
 August Kögler 13
 Aural tuning 118
 AvantGrand 63
- B**
- Babcock, Alpheus 12, 15
 Bach, Johann Christian 8
 Bach, Johann Sebastian 2, 9
 Back (frame in verticals) 24
 Back rail 22, 58
 Back stop (see "Catcher")
 Backaction 22, 74, 300, 406, 407
 weight 302, 309
 Backcheck 22, 76
 felt in verticals 340
 leather (see "Buckskin")
 wires in grands, replacing or not 369
 wires, types 371
 Backchecking
 grand, regulating 174
 importance 77
 regulating in verticals 196
 Backchecks 62
 aligning to hammer tails in grands 170
 grand, height 368
 grand, inspecting 153
 grand, rebuilding 368
 grand, replacing 369
 grand, square and align 170
 installed low, ramifications 368
 releathering 369
 rubbing against hammer tails in grands 175
 vertical, aligning to back stops 196
 vertical, inspecting 189
 Backers, Americus 7
 Backscale 49
 Badura-Skoda, Paul 212
 Balance holes 237
 checking 155
 in keys, reaming 350
 loose, repairing 237
 reaming 351
 Balance key bushings 22
 Balance point of key, moving 315
 Balance rail 22, 58
 bearing 58, 59, 163, 164
 felt punchings 340
 glides, adjusting 159
 glides, lubricating 155
 pins 76
 punchings 59
 Balance weight 276, 278
 Balancier 22
 Baldassin, Rick 103, 128
 Baldwin 31, 36, 49, 56, 140, 193, 319, 378, 424, 433, 434, 436, 459
 Ball-peen hammer 214, 215
 Ballpoint pen spring 189
 Bamboo skewers 241
 Band saw 330
 Bar soap 145
 Bar, cutoff 46
 Barclay, R. 320
 Bartolomeo Cristofori 1, 4, 6
 Baseboard 76
 block or bracket noises 493
 in verticals 24, 252
 noises 494
 strengthening attachment of 494
 Bases of jacks in verticals, inspecting 191
 Bass bridge 20, 36, 40
 Bass section, tuning 119
 Bass strings 34
 hexagonal core 36
 making 34
 replacing in grands 231
 swaging (see "Swaging bass strings")
 twisting 231
 Beam, lack of, affecting melody octave 458
 Beams 19, 20, 23, 24, 27, 131
 Beats 96
 false 41, 132
 in intervals 112
 Bechstein 12, 13, 54, 57, 254, 319, 320, 441, 461, 464
 grand plate cracks 254
 open-face pinblock 456
 Becket 223, 260
 Bedding a key frame (see "Key frame, bedding")
 Bees' wax 340
 Beethoven Pianos 37
 Beethoven, Ludwig van 6, 11, 12
 Behm, Chuck 409, 410, 411, 412, 413, 415, 440
 Bell, in Steinway grands 21
 Belly rail 19, 20, 21, 27, 28, 49, 186, 434, 459, 463
 lack of beam 458
 Bellymen felt 22, 340
 Belt sander 331, 332
 Bench regulating 141
 Bending force 101
 Bentside 8, 46, 50
 Bevel, on edge of soundboard 50
 Bill Spurlock 194, 286, 393
 Billings flange 410, 415
 Binder clips 308
 Biofelt Project 384
 Bird cage action 11
 Bird, Lonnie 446
 Bird's eye 143
 Birdcage vertical action 68
 Birkett, Stephen 300
 Black key tops 22
 replacing 365
 Black keys 94
 Blackstone Valley Piano 61, 88, 235, 237, 345, 346, 348, 355, 356, 357, 360, 361, 364, 367, 400
 Blade, sostenuto (see "Sostenuto, rod blade")
 Blanchet et Roller 10, 76
 Blankets 329
 Bleaching
 hammer felt 71
 soundboard 469
 white key tops 363
 Blending of wool 71
 Blind dowel marker 454
 Block, sanding 337
 Bloom, in sound envelope 44
 Blow distance 275
 regulating in grands 170
 Blow, half (see "Half-blow")
 Blue chalk 449
 Blue Point hammers 71, 72
 Blued tuning pins 421
 Blushing of lacquers 479
 Blüthner 34, 43, 63, 319
 Bob Flexner 479
 Bobbling 10, 151, 172, 195, 196
 Boisselot & Sons 76
 Bolduc 329, 435, 444
 Acoustic Glue 336, 454
 pinblock router bit 442, 444
 pinblocks 451
 see also "pianos Bolduc"
 Bolduc, André 259, 472, 473
 Bolduc, Christian 259, 472, 473
 Bolts 339
 Bookcase piano 8
 Bord, Antoine 13
 Boring specifications for drilling hammers 386
 Bösendorfer xiii, 3, 5, 15, 17, 19, 20, 24, 25, 29, 30, 31, 32, 34, 35, 40, 44, 47, 51, 52, 53, 54, 55, 58, 67, 116, 165, 169, 175, 181, 214, 319, 320, 353, 399, 441, 483, 484, 501
 open-face pinblock 456
 Boston piano 28
 Bottom panel noises 494
 Bowman, Keith 109
 Brace, ratchet 333
 Brackets, expanding (see "Action, brackets, expanding")
 Brady, Stephen 221, 374, 437
 Brahms, Johannes 13, 70
 Braid, stringing 341
 Brass
 bar, for squaring keys 162
 bristle suede brush 156
 chopstick voicer 210
 decal, installing 484
 weights, improving sustain with 459
 Breakpoint, dynamic (see "Dynamic breakpoint")
 Brian Capleton 107
 Bridge 23
 bass 20, 36, 40
 cap 37
 cap, replacing 473
 cracks, repairing 256
 floating 39
 joints, repairing 258
 long 20, 36, 37
 notching 41, 478
 offset, bass 40
 repairs 256
 root 37
 separated, effects on tuning 132
 setting the downbearing 475
 shimming to increase crown 467
 Bridge pins 21, 23, 40
 drilling holes for 477
 friction with 131
 grooved, effects on tuning 132
 installing 479
 loose, effects on tuning 132
 loose, repairing 256
 Bridges 36
 diagnosing before rebuilding 322
 graphiting 478
 inspecting before restringing 419
 rebuilding 472
 Bridle straps 140, 341
 adjusting 191, 198
 replacing 411
 Broadwood 7, 8, 9, 11, 12, 15, 37, 43, 320
 Broadwood, Thomas 12
 Brooks, Ltd. 384
 Broukal, Thomas 67
 Brown, Christopher 141, 142, 201
 Bruce Dornfeld 149
 Brush
 cosmetics, for applying powder lubricant 157
 for dusting the plate 90
 for tuning pin holes 421
 suede 156
 Brushing varnishes, on soundboards 470
 Bubble gauge string leveler 204
 Buckskin 241, 341
 Buffing
 compounds 364
 finish 483
 sponge 484
 white key tops 364
 Bulbs, infrared, heating 460
 Bumping action 3
 Bungee cord 415
 Burlap, used to apply lacquer filler 482
 Burnish 145, 147, 156, 350, 473, 478
 graphite 145
 Bushing
 cauls or "wedges" 348
 cloth (felt) 341, 348
 Bushings
 damper guide rail, replacing 402
 in action parts, replacing 246
 in keys 58, 61
 in plate 326
 leather 490
 wooden, in plate, for tuning pins 54
 Bushmaster 349
 Butt, of the hammer in verticals 76
 Butterfly spring 67, 176, 288, 320
 Button
 drop in grand shanks 77
 let off 68, 76
 Buzzes
 diagnosing 489
 effect on tuning 133
- C**
- C.F. Theodor Steinway (see "Steinway, C.F. Theodor")
 CA glue 221, 238, 247, 255, 256, 336, 367
 treating pinblock with 255

- Cabinet piano 8
 - Cadenza S 384
 - Calculating leads 297
 - Caliper 247, 274, 344, 351, 417, 422, 446, 448
 - Cam for locking grand legs 28
 - Cantrell, Norman 136
 - Cap
 - on bridges 37
 - on bridges, replacing 473
 - Capleton, Brian 107
 - Capo tasto 6, 21, 34, 56
 - grooved V bar, effects on tuning 132
 - patent 13
 - Capstan
 - block (capstan boat) 314
 - let off (see “Let off buttons”)
 - Capstan screw (see “Key capstans”)
 - Carbon fiber 25, 54
 - composite shanks 66
 - soundboard 19
 - Carding felt 71
 - Carl Sauter 94
 - Carpenter’s Wood Glue 335, 391
 - Carrillo, Julian 94
 - Case 20, 23, 28
 - cast-iron 25
 - Caster 23
 - socket 28
 - Cast-iron
 - case 25
 - plate 50
 - Catalyzed finishes, repairing 265
 - Catcher, aligning backcheck to 196
 - CATIPULT 392
 - Cauls
 - for key bushings 348
 - for pressing hammer felt 71
 - CAUT x, 434, 509, 516, 518
 - Cedar balls, as moth repellent 88
 - Ceiling, dynamic (see “Dynamic ceiling”)
 - Cembalo 9
 - Cement, contact 336
 - Centennial International Exhibition 14
 - Center pins
 - friction 77
 - in hammer butts, inspecting 191
 - of shanks, inspecting in grands 153
 - Centers for Disease Control and Prevention 136
 - Central (de)humidification 86
 - Ceramic magnet 204
 - CEUS, by Bösendorfer 17
 - Chalk 422
 - blue (see “Blue chalk”)
 - buffing ivory tops with 240, 365
 - for stringing 224
 - on tuning pins 323
 - Cheating jack 494
 - Cheek 8
 - block (see “End block”)
 - disease 11, 12, 320
 - Chemical
 - hardeners 216
 - stripper 481
 - Chen, Hailun and Faye 17
 - Chickering 13, 14, 319
 - Chickering, Jonas 12
 - China 16
 - Chipping to tune new strings 129
 - Chisel 333
 - for soundboard shimming 466
 - Chopin, Frederic 13
 - Chopstick voicer 210, 213, 214
 - Christian Bolduc 259, 472, 473
 - Christoph Gottlieb Schröter 3, 6
 - Christopher Brown 141, 142, 201
 - Chromatic
 - electronic tuner 124, 125
 - scale 94
 - Chrome buffing compound 364
 - Chuck Behm 409, 410, 411, 412, 413, 415, 440
 - Cigarette lighter (see “Lighter”)
 - Circle of fifths and fourths 117
 - CITES 355
 - Clair Davies xvii
 - Clamps 333
 - spring 311
 - Clanking noise
 - Clatter 491
 - Claude Debussy 76
 - Claude Montal 75, 76, 275
 - Clavecin 9
 - Clavecin à maillets 3
 - Clavichord xv, 3
 - Clavicytherum 7
 - Cleaning 89, 141
 - Clear Coat laminating resin 336
 - Clementi, Muzio 9
 - Clicking noises 491
 - Climate
 - control in a shop 328
 - effects on refinishing 479
 - humidity 83
 - Cloth 341
 - emery 338
 - for key bushings 348
 - Clothes moths (see “Moths”)
 - Cobalt drill bit 451
 - Coen, Andrea 2
 - Coincident partials 96, 121
 - Cold-drawing steel wire 34
 - Cold-pressed hammers 71
 - Cole, Michael 2
 - College of William and Mary 7
 - Collodion 217
 - Colonial Williamsburg Foundation 4, 7, 9, 358
 - Combing felt 71
 - Comparing grand action parts 376
 - Composite
 - action parts 375
 - plate 440
 - Compound, buffing 364
 - Compressed action 68
 - Compression set 251, 457
 - Compression-crowned soundboards 49
 - Compressor 331, 479
 - Computer Numerical Control (CNC) 61
 - Conair 214
 - Concert Level 204
 - Concert String Tool 203
 - Condensation of moisture 84
 - Condenser, in air-conditioner 86
 - Conklin, Harold Jr. 45, 46, 56, 459
 - Conn Strobotuner 124
 - Conrad Graf 11, 12
 - Console humidifier 87
 - Consonance 95
 - Consonant intervals 97
 - Contact adhesives (cement) 336
 - Contiguous M3s 117
 - Continuous curved bridge 38
 - Contraction of plate 54
 - Cord, abrasive 338
 - Core, hexagonal, in bass strings 36
 - Cork grease 145, 268, 270, 493
 - Cornice (see “Stretcher”)
 - Corrosion 89, 319
 - Cory 89
 - Cottage piano 10
 - Cotton swab, for polishing agraffe holes 437
 - Council of National Defense 16
 - Countersinking screws 339
 - Couperin, François 6
 - Coved hammer tails 73
 - Cow bone key tops 355
 - Cracks
 - in pinblock, repairing 256
 - in plate 253
 - in soundboard, shimming 460, 465
 - Craig McDougal 9
 - Crail, Gordon 268
 - Crane 329
 - Crawford, Matthew 318
 - Creaking noise
 - in grand pedals 493
 - in verticals 490
 - Creepage of glue 28, 319, 334, 335, 336, 358, 454, 467
 - Crescendo key punchings 59, 340, 347
 - Crescendo Publications 208
 - Crimp of wool fibers 71
 - Cristofori, Bartolomeo 1, 3, 4, 6
 - Critica musica 2
 - Critical recoat time 471
 - Crosby Brown Collection of Musical Instruments 1, 2
 - Cross bars (see “Struts”)
 - Cross block (see “Belly rail”)
 - Cross-stringing (see “Over-stringing”)
 - Crowbar 280, 443, 445
 - Crown
 - in soundboards 20, 48
 - in soundboards, affected by humidity 84
 - in soundboards, forcing 466
 - in soundboards, increasing 460, 467, 475
 - in soundboards, measuring 461
 - of piano hammer 70, 208
 - Crystal Soundboard 45
 - Cupola plate 56
 - Cutoff bar 46
 - Cutting
 - leather and felt 342
 - new pinblock 445
 - Cyanoacrylate glue (see “CA glue”)
 - CyberHammer 110
 - CyberTuner 126
 - Cymbal-Clavir 3
- D**
- Dag 22, 145, 156, 160
 - stop screw, adjusting 152
 - Dain, Richard 17, 19, 25, 43, 45
 - Dale Erwin 416
 - Damper 77
 - block 74
 - blocks and strips in verticals 413
 - felt, flat 74
 - felt, noise 490
 - felts 22, 74, 340
 - felts in grands, replacing 400
 - felts in verticals, replacing 413
 - guide rail 22
 - guide rail bushings 181
 - guide rail bushings, replacing 402
 - head 22, 74
 - heads with wires, replacing 404
 - heads, aligning, in grands 183
 - heads, refinishing 401
 - lever 77
 - levers 192, 197
 - lift rod 192
 - mechanism (see “Backaction”)
 - noises in grands 181
 - pedal 74
 - pedal lift, regulating 179
 - regulation in grands 182
 - repairs 248
 - spoon, in verticals 77
 - spoons in verticals, adjusting 197
 - springs in verticals, lubricating 192
 - stop rail 77
 - stop rail, adjusting 178
 - system in grands, design flaws 182
 - system in grands, rebuilding 400
 - system, description 74
 - system, rebuilding overview 325
 - system, with threaded wires, modifying 404
 - underfelt 74
 - underlever 77
 - underlevers, aligning to key end felts 407
 - underlevers, rebuilding vs. replacing 405
 - wire 22
 - wire touching a string 183
 - wires, lubricating 181
 - Damper action 22
 - Damper Bean Bag 185
 - Damper lift 150, 180, 181, 182, 183, 185, 248, 346, 400, 405, 423
 - defined 77
 - delayed 491
 - grand, regulation 183
 - late 130
 - uneven 253
 - with pedal in verticals (see “Pedal, damper lift”)
 - Damper lift rod 74, 147, 192, 197, 253, 490, 494
 - Damper stop rail
 - adjusting 152
 - Dampers 74
 - grand, rebuilding 400
 - grand, regulating 180
 - low, effects on tuning 130
 - vertical, rebuilding 413
 - vertical, regulating 196
 - Dampp-Chaser 85, 87, 88, 90
 - Daniel Levitan 103, 109, 111, 114, 130
 - Darije Kos 461, 464
 - Darrell Fandrich 17, 68, 69, 273, 290, 292, 298, 299, 300, 378, 458, 501
 - Dave Roberts 419
 - Davenport Tools 203, 204
 - David G. Hughes 321
 - David Huggins 274
 - David Kirkland 16, 27, 56
 - David Stanwood 144, 214, 273, 283,

- 286, 288, 290, 291, 309, 315, 506
David Sutherland 2
Davies, Clair xvii
de la Fage, Adrien 76
de Zwolle, Henri Arnaut 1
Debain, Alexandre-Françoise 76
Debussy, Claude 76
Decal
 brass letters, installing 484
 soundboard, applying 472
Decay, of sound 43, 44
Dehumidifier 86, 328
Dehumidifying air 85
 with air conditioner 86
Deicing, in dehumidifier 86
Del Mela, Domenico 8
Delaminated pinblock, repairing 256
Delignit 28, 441, 451, 456
Deluxe Hammer Boring Jig 387
Delwyn Fandrich 17, 459
Density
 in soundboards 50
 of hammers 72
Descending intervals 95
Design 19
DETOA 60
Dewey, John 242, 375
Diagnosing
 piano before rebuilding 321
Diagram
 action 64
 grand piano cross section 22
Diaphragmatic soundboard 47
Diatonic scale 94
Didymic comma 98
Disc sander 331
Dishwashing detergent 338
Disklavier 17
Dissonance 95
Dissonant intervals 97
Distance leverage 279
Distance multiplier 295
Ditanaklasis 10
Ditonic comma 98
Dolge, Alfred 4, 5, 13, 14
Dolly 268
Domenico del Mela 8
Domenico Scarlatti 2
Don Anthonio da Braganza 2
Donhauser, Peter 8
Dorian mode 94
Dornfeld, Bruce 149
Double Cupola plate 56
Double Repetition vertical action 77
Double strings 224
Dowel, pitman 23
Dowels
 for repairing stripped screw holes 240
 supporting the plate 20
Downbearing 21
 improving by installing thinner pinblock 449
 measuring 419
 of strings 48, 54, 84
 of strings, diagnosing 322
 setting with new bridge cap 475
Downweight 276
Dremel 331
Dresden 2
Drill 331
Drill bit, laminate-trimming (see "Laminate-trimming bit")
Drill press 331
 for drilling hammers 387
Drilling
 bridge pin holes 477
 hammer heads 386
 pinblock 451
 vertical piano hammers 414
Driscoll CF Tuning Lever 110
Drop
 adjusting in grands 172
 button in grand shanks 77
 regulating 172
 screw 22
 testing by feel 174
Dropped action 68, 113, 140, 320
Dryburgh Adhesive 255
Duct tape 337
Dulcimer 2, 6
Duncan Enterprises 336
Duplex 36
 bar, friction with 131
 portion of strings 62
 resonances 133
 termination 22
Dvor Trakoscan 11
Dynamic breakpoint 300
Dynamic ceiling 49, 298
Dynamic touchweight 276, 298
- E**
Easing key bushings 352
Eastern Europe, as piano market 16
Easy String Calc 46, 419
Ebony
 black key tops 365
 sealing 367
Echo 490
Eclectic Products 336
Ecsaine 341
Ed Foote 214
Edges, touching up 263, 484
Edwin Good 13
Effects of environment on pianos 83
Elastic limit 33
 reaching and exceeding 128
Elbows 409
Electricity in the shop 328
Electronic tuning 124
 corrections 126
Ellis, James F. 46
EMC (see "Equilibrium moisture content") 49
Emerson, George "Frank" 17, 47
Emery cloth 338
Empfindsamer Stil 9
Encore 384
End block 22
 adjusting 152
 removing 136
English Action 9
English Double Action 10
Enharmonic notes 94
Envelope, of sound 43, 383
Environment, effects on pianos 83
Environmental Protection Agency xvii
Epoxy 256, 336
 in soundboard cracks 318
 soaking the soundboard with 459
Equal temperament 99
Equilibrium moisture content 49, 460
Equipment
 for spraying finishes 479
 in a rebuilding shop 329
Érard, Pierre 12, 13, 320
Érard, Sébastien 12, 13, 77, 320
Eric Johnson 45
Erwin, Dale 416
Erwin's & Sons pinblock 451
Erwin's Piano Restoration 48, 281
Escapement of jack 76
escutcheon 489
Estonia 73
ETDs 125
Ether 217
European strings, wire gauges 34
Europiano xvi
Evaporator, in air-conditioner 86
Exhibition
 Centennial 14
 in Paris in 1867 13
Expanding action brackets (see "Action, brackets, expanding")
Expression pedal 75
Extracting broken agraffe 262
Eyedropper 218
- F**
Fabric softener 215
Facing off agraffes 439
Faivre 12, 47
Falconwood 28, 441
Fallboard 22, 28
 removing 136
Fallboard lock 91
False beats 41, 132, 256
False bridge 37
Fan, effects on tuning (see "Reflection of sound")
Fandrich 15
 vertical back 25
 vertical piano action 68
Fandrich Vertical Action 69, 77
Fandrich, Darrell 17, 68, 69, 273, 290, 292, 298, 299, 300, 378, 458, 501
Fandrich, Delwyn 17, 459
Fandrich-Rhodes 273, 274, 299
Fast Grab 336
Fasteners 339
Fatigue, of strings 34
Faulk Piano Service 109
Faust Harrison Pianos 35, 47, 52, 58
Faye Chen 17
Fazioli 17, 29, 36, 42, 48, 53, 55, 75, 138, 398
Feeler gauge 258, 449, 450, 461
Felt
 affected by humidity 85
 cutting 342
 for key bushings 348
 for timpani 340
 friction with strings 131
 gluing 342
 in hammers 70
 in hammers, rinsing (see "Rinsing")
 interwoven with thread 340
 manufacture of 71
 on hammers, ironing 214
 on hammers, resetting during voicing 211
 plain 340
 punchings 59
 types 340
Felts
 in dampers 74
 in keyboard 59
 in verticals, inspecting 191
 on dampers in verticals, replacing 413
 on grand dampers, replacing 400
 replacing 340
 replacing, overview 326
Ferdinand Hoffman 6
Ferrini, Giovanni 1
File 333
 Nicholson 237, 382
Filler, pore, for lacquer 482
Filling surface for finishing 482
Filter/separator 479
Fine, Larry 17
Finish
 blushing 479
 buffing 483
 refinishing 479
 repairing 263
 satinizing 264, 484
 soundboard, refinishing 468
 touching up 263
 types 480
Finishing
 hazards 480
 materials, protecting from water vapor 84
Fish, for increasing sustain in treble 46
Fitting new pinblock 448
Flagpoling of tuning pins 54, 107
Flange of the plate, fitting pinblock to 441
Flanges of hammer shanks 77
Flannel buffing wheel 365
Flat damper felt 74
Flat-head screws 339
Flexner, Bob 479
Flitz 156, 425, 437
Floating
 bridge 39
 pinblock 33, 441
 soundboard 46
Florence 1
Flügel 3, 9
Foote, Ed 214
Force, bending, in strings 101
Forcing soundboard crown 466
Fractured key, repairing 234
Frame 19, 24
 rails, restoring 344
 Tubular Metallic 66, 68
 underlever (see "Underlever tray")
 vertical 24
François Couperin 6
Frank E. Morton 44
Frank Emerson 17, 47
Frankfurt Musikmesse xvi
Franklin glue 335, 336, 454
Franz Jacob Späth 9
Franz Joseph Haydn 11
Franz Liszt 13, 82
Fred Sturm 69, 109, 124, 130, 155, 165, 193, 210, 215
Frederic Chopin 13
Frederick the Great of Prussia 2
Frederick Vietor 59
Frequency of sound 43
Friction 276, 443
 changing during key travel 278
 controlling 306
 in action center pins 77
Friedrich Marburg 3

- Front rail 22, 58
key pins 58
Front weight 291, 297, 398
calculating 294
ceiling 291, 293, 397
estimating 296
Fujan Products 109
Fuji Silysia Chemical, Ltd. 85
Full-fit pinblock 33, 441
Functioning of an ideal hammer 208
Fundamental pitch 96
- G**
- Gap, between jack and hammer
butt, adjusting 195
Garnet sandpaper 338
Gauge numbers, marking on plate
with stencils 440
Gauge, bubble 204
Geib, John 4, 10
Geigenwerk I
Gel, superglue 336
Geometry (see "Action geometry")
George "Frank" Emerson 17, 47
Gerald Cousins 392
German loop 225, 231
German silver 143
Gertz, Richard 14, 25
Gilding, refinishing piano plate 439
Gillis, Ian 4
Giovanni Ferrini I
Giraffe 8
Giustini, Lodovico 2
Glass
sanding block 359
soundboard 45
Glazbala Kos 461, 464
Glides 22
adjusting 159
lubricate 155
Glover's needles 210
Gloves 146, 422
applying powder lubricant with
158
inspection 221
wearing during regulation 135
Glue 334
creepage of (see "Creepage of
glue")
for installing hammers 391
for key bushings 349
sizing 237
thermoplasticity 335
Gluing felt and leather 342
Golfer's glove 422
Good, Edwin 13
Gordon Crail 268
Gottfried Silbermann 2, 6
Goudonnet 76
Gouges, repairing 264
Gradient, in tone (see "Tonal
gradient")
Graf, Conrad 11, 12
Graham, Gregory 143
Grain angle, in soundboards 49
Grand
action and keyboard,
transporting 137
action diagram 64
action rails 66
action rebuilding 373
action types 63
action, regulating 166
action, removing 136
action, rough-regulating 394
backchecks, rebuilding 368
Centennial 14
damper system design flaws 182
damper system noises 181
damper system, rebuilding 400
damper system, regulating 180
damper underlevers, rebuilding
vs. replacing 405
diagram 22
hammers, replacing 383
jack, split 243
keyboard vs. vertical keyboard
343
keyboard, inserting 137
keyboard, removing 136
knuckles, repairing (see
"Knuckles, repairing")
legs 28
legs, removing and installing 268
lid 28
lid, removing and installing 268
lyre, removing and installing 271
pedals, noises 493
piano restringing 423
pinblock types 440
pinblock, replacing 440
shank rest felt (see "Shank rest
felt")
wippens, traveling 170
Grand Piano Solutions 242, 416
Grand Plate Puller 329, 435
Grandwork 204, 205
Grandwork Regulation Station 141
Granite sanding block 359
Graphite 145
Graphiting bridges 478
Gravagne, Nick 273, 393, 468
Gravicembalo col piano e forte I
Grease, cork 268, 270, 493
Great Depression 15, 16, 321
Gregor Heller 232
Gregory Graham 143
Grid, sanding 338
Griffa & Figli 5
Grijalva, Robert 458, 459
Grinder 331
Grossbach, Jan 263
Grotrian 24, 25, 31, 35, 37, 38, 159,
186, 225, 319, 339, 366, 501
Growing action brackets (see
"Action, brackets, expanding")
Guide notes 142
regulating 166
Guide rail
bushings 181
bushings in grand pedals, noises
493
bushings, easing 248
Gym chalk 422
- H**
- Hackbrett 2
Hailun Chen 17
Hailun Piano Company 17, 47
Half pedaling 185
Half step 94
Half-blow
distance 181, 197
pedal 198, 275
rail 194, 198
Half-moon punchings 315
Half-round dowel (see "Balance rail
bearing")
Hamburg Steinway 16, 21, 31, 59,
67, 313, 369, 384
Hammer 22
ball-peen (see "Ball-peen
hammer")
boring jig 387
crown 70, 208
felt 70, 340
felt, ironing 214
felt, resetting 211
felt, rinsing (see "Rinsing")
felt, sanding 211, 216
felt, sanding top layer 393
felt, steam-treating 71, 214
felt, treated with hardeners 216
hardener (see "Hardener")
head 76
heads, drilling 386
heads, inspecting 153
height, regulating in grands 170
ideal, functioning 208
mass, changing (see "Strike
weight, changing")
molding 71
molding materials 73
properties 70
rail 22
rebounding 70
rest rail, adjusting in grands 178
shoulders 70, 208
shoulders, needling 211
strike point 73, 208, 375
strike weight (see "Strike
weight")
tails, shaping and tapering 388
tails, types 73
Tapering Jig (also see "Spurlock
Specialty Tools") 385
underfelt 73
weight 72, 275, 283
Hammer butt
Billings flange (see "Billings
flange")
center pins, inspecting 191
in verticals 76
in verticals, rebuilding 411
leathers and felts, inspecting 191
Schwander 411
spring 77
spring, variations in 68
springs, inspecting 191
Hammer shank 22, 76, 376
center pins, inspecting in grands
153
drop button 77
flange 22
ratio 282
rest cloth, on rail 340
rest felt 22, 340
rest rail, regulating 178
split, repairing 243
strike weight 286
weight ratio 288
Hammer shanks
gluing hammers onto 391
grand, comparing 376
grand, replacing 380
grand, traveling 167
heating and twisting 168, 393
in verticals, replacing 414
made of carbon fiber composite
66
old, reusing 385
stubs, cutting 393
Hammer Square tool 167
Hammering
overhardened hammers 214
tuning pins 230, 254, 417
Hammers 70
affecting the tuning 133
checking alignment and spacing
in grands 149
cold-pressed 71
dense, voicing 209
drilling and tapering in verticals
414
glue for installation of 391
gluing onto shanks 391
grand, replacing 383
grooved, unresilient 133
in verticals, replacing 414
installing 390
manufacture 71
marking 387
mating to strings 207
needling 210
new, voicing 394
over/under-centering (see
"Over-centering," "Under-
centering")
replacement, deciding on weight
of 286
reshaping before regulating
action 166
selecting 383
shaping tails 71
soft, voicing up 216
squaring 168
steam-treating (see "Steam-
treating hammer felt")
variations 72
voicing 73
warm-pressed 71, 384
Hand stops 6
Hand tools 333
Hands Off fallboard lock 91
Hans Velo 46, 306, 311, 419
Hantavirus Pulmonary Syndrome
136
Hard Wax 264
Hardener
applying to hammer felt 218
for hammers 216
voicing overhardened hammers
215
Hardening hammer felt 71
Hardwood insert, for repairing
action rails 242
Harmonic bar 13
Harmonic intervals 95
Harmonic minor scale 94
Harmonic Piano 94
Harmonic series 95
Harmonics (see also "Partials") 95
Harold Conklin Jr. 45, 46, 56, 459
Harpsichord xv
Harrison, Michael 94
Harshness, tonal, removing 211
Hawkins, John Isaac 10
Haydn, Franz Joseph 11
Haydn, Joseph 8, 9
Hazards in finishing and refinishing
480
Head
hammer 76
hexagonal on bolts 339
Hearing protection xvii
Heat gun 194, 196, 243
Heating and twisting shanks 168,
393

- Heating lamps 255, 256, 460, 461
 Hebenstreit, Pantaleon 2, 3, 6
 Height of grand backchecks 368
 Heinrich Neuhaus 76
 Heli-Coil 243, 262
 Heller, Gregor 232
 Hellerbass 232, 422
 Helmholtz, Hermann von xviii, 97
 Hemorrhagic Fever with Renal Syndrome 136
 Henri Arnaut de Zwolle 1
 Henri Herz 12, 320
 Henri Pape 10, 13
 Herbert A. Shead xvii
 Hermann Kluge 16
 Hermann Lichtenthal 11, 507
 Hermann von Helmholtz xviii, 97
 Herrburger-Schwander 320
 wippens 67
 Hertz (Hz) 97
 Herz, Henri 12, 320
 Herz-Érard 63, 320
 Hex screws 339
 Hexagonal
 core in bass strings 36
 head on bolts 339
 Hexagrip pinblock 28, 32
 Hickey, Jeffrey 262
 Hide glue 334, 335
 High gloss 483
 lacquer, repairing 264
 High Performance Super Glue Gel 336
 High-build finish 481
 High-speed
 rotary power tool 331
 steel drill bits 451
 History 1
 Hitch pins 21, 22
 Acu-Just (see "Acu-Just")
 Hi-tech finishes 483
 Hoffman, Ferdinand 6
 Hoist 329
 Holes
 for screws, repairing 240
 in keys 237
 Hollow mill 437
 Horn (see "Plate horn")
 Hot hide glue 334
 Hot Stuff 255
 Hot-melt glue 337
 Huber, Alfons 3
 Huggins, David 274
 Hughes, David G. 321
 Humidifier 87, 328
 Humidifying air 86
 Humidity 83
 effects on tuning 130
 increasing 86
 lowering 85
 relative vs. absolute 84
 Hurstwood Farm Piano Studios 19, 43, 45
 Hydrogen peroxide 363
 Hygrometer 85
 Hypo oiler 218
- I**
 Ialeggio, Jim 242, 416
 Ian Gillis 4
 Ibach 319
 Ignace Pleyel 10
 Igor Stravinsky 63
 Igrec, Seni 82
- Imadegawa hammers 72, 384
 Impact tuning lever 110
 Impedance in soundboards 44
 Increasing soundboard crown 475
 Individually-tied strings 224
 Industrial Revolution 8, 11
 Industrial scale production 13
 Inertia 275, 298, 304
 benefits 299
 reducing 309
 Inertial Touch Force 273, 299, 300
 Infrared heating bulbs 460
 Inharmonicity 41, 101
 of intervals (see "Interval inharmonicity")
 of strings 34
 variations between scale designs 107
 Inherent vice 319
 Insects 88
 Insert, hardwood, for repairing
 action rails 242
 Inserting grand action and keyboard 137
 Interval 94, 95
 consonant v. dissonant 97
 inharmonicity 103, 106
 Inventronics 125
 Ionian mode 94
 Ironing hammer felt 214
 Isaac hammers 384
 Isaac Pianos 422
 Isaac, Ari 384
 Isocyanates 483
 ITF (see "Inertial Touch Force")
 Ivoplast 354
 Ivorine key tops 354
 Ivory key tops 355
 Ivory
 chipped, repairing 238
 from fossil mammoth 355
 key tops 355
 Ivory soap 145
- J**
 Jack 22, 76
 bases in verticals, inspecting 191
 binding on knuckle 156
 center pins, in verticals 191
 cheating (see "Cheating jack")
 gap, adjusting 195
 grand, aligning to knuckle 176
 in grands, split 243
 realigning to repetition lever opening 156
 spring 77
 springs in verticals, inspecting 189
 tender 22
 tender, lubricating 158
 Jacks
 inspecting in grands 156
 regulating in pianos with let off capstans 177
 James F. Ellis 46
 James Geiger 15
 Jan Grossbach 263
 Janissary effects 8
 Jansen & Son 268
 Japan 16
 Jean Marius 3
 Jeffrey Hickey 262
 Jigsaw 332
 Jim Ialeggio 242, 416
- Jim Schmitt 262
 Johann Andreas Stein 3, 6, 8, 9, 12
 Johann Christian Bach 8
 Johann Sebastian Bach 2, 9
 Johann Socher 3
 Johannes Brahms 13, 70
 Johannes Pohlman 9
 Johannes Zumpe 9, 10
 John Dewey Enterprises 242, 375
 John Geib 4, 10
 John Isaac Hawkins 10
 John Nelson Woodworking 355
 John Parham 253
 John Rhodes 273, 290, 292, 299, 300, 501
 John Watson 4, 7, 89, 136, 320
 Johnson, Eric 45
 Joints, on bridges, repairing 258
 Jolly, Roger 165
 Jonas Chickering 12
 Jones, Scott 283, 311
 Joseph Haydn 8, 9
 Jude Reveley 236, 288, 292, 313, 314, 394, 459, 466
 Julian Carrillo 94
- K**
 Kawai 17, 66, 197, 319, 375
 Kehl, Roy 56
 Keith Bowman 109
 Keith McGavern 262
 Kelly 16
 Kent Webb 16, 85, 146
 Key 22, 94
 balance felt punchings 340
 balance holes, reaming 351
 balance point, moving 315
 block (see "End block")
 damper lift (see "Damper lift")
 fractured, repairing 234
 front felt punchings 340
 height, measuring 343
 leads 22, 62, 397
 level, observing 149
 mortise, broken 234
 pulley (see "Pulley key")
 ratio 280
 rest felt 340
 stop rail 22, 159, 166, 343
 stop rail, removing 153
 weight ratio 291
 Key bed 20, 22, 24, 30, 57, 74, 76, 136, 164, 179
 attaching lyre to 271
 bending 160
 blocking hitch pins in verticals 233
 bowed 205
 curvature of 141, 164, 173
 curvature, measuring 344
 damaging 268
 distance to strings, altering 449
 distance to strings, measuring 344, 423
 fitting key frame to 159
 flexing 493
 glides in 160
 hammers perpendicular to 204
 hollowed 141, 160, 205
 in vertical, action supports on 140
 in verticals 28
 key frame, fastened to 136
 key level adjustment screws,
- under 163
 legs, fitting under 112
 leveling strings from 205
 lubricating 145, 147, 155, 179
 positioning key frame on 208
 pounding into 112
 protecting during restringing 427
 removing in verticals 430
 sostenuto dowel in 137, 188
 transmitting noises 62, 96
 underlever tool on 183
 using for tuning fork 116
 Key bushings 22, 58, 61
 cauls 348
 checking 155
 easing 155, 352
 leather 490
 loose, repairing 236
 replacing 347
 Key buttons 22, 60, 61
 cracked, repairing 234
 replacing 236
 Key capstans 62, 76
 checking 155
 lubricating 155
 repositioning 313
 Key dip
 checking in grands 149
 constraints 275
 measuring 344
 regulating 164
 setting inside the piano 161
 Key end felts 22, 340
 replacing 353
 Key frame 22, 58
 "bedding" to key bed 159
 back rail 22, 58
 balance rail and pins 58
 bedding 159
 checking 154
 cloths and felts 59
 cloths and felts, effect on noises 63
 end block (see "End block")
 flexing 141, 167
 front pins 58
 front rail 22, 58
 gaining access to 140
 grasping 136
 holes, stripped, repairing 240
 immobilized 251
 inspecting 154
 lubricating 155, 179
 preparing for rebushed keys 350
 rebuilding vs. replacing 326, 343
 restoring 344
 return spring, lubricating 156
 shift, diagnosing 149
 shifting type 158
 shimming, to adjust curvature of 175
 Steinway balance rail bearings 59
 Key pins 58
 checking 154
 cleaning and lubricating 154
 friction, checking 149
 replacing 345
 Key punchings, felt 59
 Key shoe 60, 61
 regluing 238
 Key slip 22, 28
 removing 136
 Key tops 58, 61
 black 22

- black, replacing 365
- cleaning 89
- porous white, sanding 363
- porous, tools and materials 358
- regluing and replacing 238
- sealing ebony 367
- white 22
- white, bleaching 363
- white, buffing 364
- white, loose 491
- white, replacing 354
- white, scraping 363
- Keyboard 58
 - effects of noises on tone 62
 - felts 59
 - grand, inserting 137
 - grand, removing the action from 379
 - grand, transporting 137
 - how it works 76
 - in grands, removing 136
 - in verticals, regulation 158
 - noises 59
 - rebuilding 342
 - rebuilding vs. replacing 326, 343
 - rebuilding, overview 326
 - regulating 158, 161
 - regulating on the bench 141
 - removing top stack from 154
 - taking measurements 343
- Key-Brite 89
- Key-imbalance weight 295
- Keys 94
 - balance pin hole 61
 - balance pin holes, reaming 350
 - checking 153
 - cleaning 154
 - leaded to adjust touchweight 396
 - leading temporarily 161
 - manufacture 61
 - properties 60
 - repairing 234
 - rubbing 153
 - sanding on key frame 357
 - sluggish 234
 - spacing between, regulating 162
 - squaring 162
 - steaming to remove bushings 347
 - weighting 397
- Kick board 140
- Killer octave (see "Melody octave")
- Kirkland, David 16, 27, 56
- Klaus Wogram 45
- Klavierhaus 36, 52, 57
- Kluge 61, 355
- Kluge, Hermann 16
- Knabe 14, 319
- Knee levers 6
- Knuckle 385
 - distance 278
 - distance, altering 312
 - jack binding on 156
- Knuckles 22
 - grand, inspecting 156
 - lubricating 156
 - repairing 244
 - repositioning 313
- Kögler, August 13
- König 263, 264
- Korea 16
- Korg 124, 126
- Korg chromatic tuners 126
- Kos, Darije 461, 464
- Kotibe 384
- L**
- Lacquer 217
 - as hammer felt hardener 216
 - blushing 479
 - high-gloss 483
 - pore filler 482
 - sanding sealer 482
 - satin, repairing 264
 - Special Repair (see "Special Repair Lacquer") 264
 - thinner 338
- Lacquer stick 264
- Lafargue Pianos 127
- Laible, Ulrich 4
- LakeOne USA 482
- Laminates, plastic, for key tops 354
- Laminate-trimming bit 236, 358, 361, 400
- Lamination sheet 201
- Lamps, heating 255, 256, 460
- Lanolin 145, 210, 215
- Laoureux 384
- Lap of wool 71
- Larry Fine 17
- Lavender, as moth repellent 88
- Lead
 - corroded 89
 - placement 299
 - weights 295
 - weights, calculating 297
 - weights, in keys 22, 62, 397
 - weights, installing/removing 397
 - wire 308
- Lead factor 292, 295
- Leads
 - calculating 295
 - loose, repairing 236
- Leather 341
 - affected by humidity 85
 - bushings 490
 - cutting 342
 - gluing on wood 342
 - nap of 341
 - replacing 340
 - replacing on grand backchecks 369
- LED head light 221
- Leg 23
 - plates 28
- Legato xviii, 63, 112, 174, 183, 397, 490
- Legs 28
 - removing and installing 268
- Lens case 222, 287
- Lentz 76
- Lessons in tuning 111
- Let off
 - adjusting in grands 171
 - adjusting in verticals 194
 - button cloth, brushing and ironing 158
 - buttons 22, 68, 76
 - buttons in grands, replacing 379
 - buttons in verticals, replacing 411
 - buttons, lubricating 158
 - capstans 68
 - rail 22
 - rail, removing 177
 - screw, extracting 233
 - testing by feel 174
- Letraset stencils for gauge numbers on plate 440
- Leveler Company 163
- Leveling strings 202
 - with ceramic magnets 204
- Lever
 - damper, adjusting 197
 - damper, in verticals 77
 - repetition 76
 - underdamper in grands (see "Damper, underlever")
- Leverage (see "Action, leverage")
- Levitan Tuning Levers 109
- Levitan, Daniel 103, 109, 111, 114, 130
- Lichtenthal, Hermann 11, 507
- Lid 23
 - as a surface for regulation 137
 - grand 28
 - grand, removing and installing 268
 - keyboard 28
 - prop 23
- Lift, of dampers (see "Damper lift")
- Lifting piano plate 435
- Light in a rebuilding shop 328
- Lighter 194, 196, 243
- Limit, elastic, in strings 33
- Linesman pliers 333
- Lip balm 145
- Liquid hide glue 335
- Liquid Sandpaper 263
- Liquid Wrench 434, 437
- Liszt, Franz 13, 82
- Lock bar 23
- Lock washers 339
- LOCK-N-STITCH 254
- Locrian mode 94
- Lodovico Giustini 2
- Logitudinal mode of vibration 44, 46
- Long bridge 20, 36
- Long stick 23
- Longman & Broderip 358
- Lonnice Bird 446
- Louis Renner GmbH 64, 467
- Low-creep PVA glue 336
- LPS 1 114
- Lubricants 145
- Lubricating
 - damper levers and springs 192
 - hammer butts 191
 - key frame and key bed in grands 179
 - knuckles 156
 - lid hinge pins 268, 270
 - pedals 493
 - repetition spring and notch 157
 - screws with bees' wax 340
 - vertical damper springs 192
 - voicing needles 210
 - voicing needles with lanolin 210
- Ludwig van Beethoven 6, 11, 12
- Lumber, quarter-sawn (see "Quartersawn lumber")
- Lydian mode 94
- Lyre 23
 - detached pedal box 251
 - for pedals in grands 74
 - removing and installing 271
 - repairing 249
- M**
- Machine screws 339
- Machinist oil 145
- Machinist's center drill 437
- Maffei, Scipione 1, 2, 6
- Magic line 282, 377, 378
- Magnesium carbonate 422
- Magnet, for string leveling 204
- Magnetic Balanced Action 306, 311
- Magnetic Friction Reduction 306
- Magnetically Accelerated Action 311
- Maintenance 83
 - periodic 89
- Major scale 94
- Maleic resin 499
- Mammoth ivory 355
- Mapes 224, 422
- Maria Barbara, queen of Spain 2
- Marius, Jean 3
- Marking hammers 387
- Marpurg, Friedrich 3
- Mary Oey 320
- Masking tape 337
- Mason & Hamlin 14, 15, 25, 27, 30, 36, 38, 39, 65, 67, 319, 378, 504
- Mass
 - in soundboards 44
 - of hammers, reducing 71
- Massage, trigger point xvii
- Material Safety Data Sheet 217, 334
- Materials xvii
 - compatibility 318
 - for black key tops 365
 - for finishing soundboards 469
 - for pinblocks 441
 - for rebuilding 334
 - for white key tops 354
- Mathias Müller 10
- Mathushek 15, 68, 321
- Mating hammers to strings 207
- Mattheson 2
- Matthew Crawford 318
- Matthias Stöckle 467
- McDougal, Craig 9
- McFerrin, W.V. 142
- McGavern, Keith 262
- McLube 1708L 478
- McLube 444NPB 145
- Mean-tone temperament 99
- Measuring
 - downbearing 419
 - relative humidity 85
 - soundboard crown 461
- Mechanical damping 142
- Mechanism 24, 57
 - how it works 76
 - modifying 378
- MEE (see "Moisture Excluding Effectiveness")
- Meguiar 90, 264, 265, 471, 483, 484
- Melodic intervals 95
- Melodic minor scale 94
- Melody octave 42, 46, 49, 50, 73, 204, 386
- Menzerna 265, 483
- Metal
 - affected by humidity 85
 - gluing felt on 342
 - soundboard 45
- Metrology, of touchweight 273
- Metropolitan Museum of Art 1, 2
- Meyne Klaviertechnik 214
- Mice 88
- Michael Cole 2
- Michael Harrison 94
- Michael Wathen 43
- Micro powder lubricant 145
- Microfinishing film 202
- Micrometer 34, 225, 227, 422

Microtonal tunings 94
 MIDI 17
 Mike Morvan 61, 88, 235, 237, 345, 346, 348, 355, 356, 357, 360, 361, 364, 367, 400
 Miles, Poppy 238
 Millennium III action 17
 Minor scale 94
 Mirror Glaze 90, 264, 265, 482, 483, 484
 Missing notes 82
 checking in grand actions 153
 Notes, missing 494
 Mixolydian mode 94
 Modal analysis 45
 Modal scale 94
 Mode of vibration 46
 Moderator
 pedal 76
 pedal, regulating 198
 Modifying
 action 378
 grand dampers with threaded wires 404
 pitman dowel 408
 Moisture
 condensation of 84
 Moisture (see also "Humidity") 83
 Moisture-absorbing agent 85, 87, 91
 Moisture-excluding effectiveness 84, 319, 469, 470
 Molding
 of hammers 71
 of hammers, materials 73
 Molitor 458
 Monkey, sostenuto, removing 379
 Montal, Claude 75, 76, 275
 Moondog Grand Piano Tilter 268
 Mortise (see "Key, mortise")
 Morton, Frank E. 44
 Morvan, Mike 61, 88, 235, 237, 345, 346, 348, 355, 356, 357, 360, 361, 364, 367, 400
 Moth balls 88
 Mother Goose 204
 Moths 88
 Moto Tool 331
 Mouse infestation (see "Rodents")
 Mover's blankets (see "Blankets")
 Moving Grand Piano 267
 Mozart, Wolfgang Amadeus 3, 6, 9, 11
 MSDS (see "Material Safety Data Sheet")
 Müller, Mathias 10
 Multi-laminated pinblock 451
 Multiple chemical sensitivity 479
 Music desk (see "Music rack")
 Music nomenclature xviii
 Music rack 23
 removing 136
 Music Sorb 85, 87, 91
 Music typesetting 11
 Music wire (piano strings) 33
 Musikmesse Frankfurt xvi
 Muslin buffing wheel 364
 Mute, tuning 112
 Mutton tallow 145, 158
 Muzio Clementi 9
 Mylar 424

N

Nails 339, 403
 NAMM xvi

Nannette Streicher 3, 12
 Nap of leather 341
 Natural Felt 384
 Natural minor scale 94
 Needles
 glover's 210
 lubricating 210
 lubricating with lanolin 210
 Needling hammers 210
 Neuhaus, Heinrich 76
 New touchweight metrology 273
 Nicholson file 237, 382
 Nick Gravagne 273, 393, 468
 Nickel plating on steel strings 34
 Nickel-plated tuning pins 421
 Nippers for cutting wire 333
 Noises
 action parts 490
 buzzes (see "Buzzes")
 clanking, in pedals (see "Clanking noise")
 clatter (see "Clatter")
 clicking (see "Clicking noises")
 creaking (see "Creaking noise")
 damper felt (see "Damper, felt noise")
 effects on tuning 489
 in grand damper system 181
 in keyboard 59
 in pedals 492
 in vertical pedals 493
 keyboard, affecting tone 62
 oinking (see "Oinking noise")
 outside piano, effects on tuning 133
 rattles (see "Rattles")
 sizzling 489
 squealing (see "Squealing noise")
 zings (see "Zing noise")
 Nomenclature, musical xviii
 Norman Cantrell 136
 Nose 27
 Nose bolts 20, 131
 cups or nuts 20, 22
 Nossaman, Ron 452
 Notching, bridges 41, 478
 Notes 94
 Nuts, used with bolts as fasteners 339

O

O.S. Kelly 16
 Oblong tuning pins 110
 Observations before rebuilding
 grand action 375
 Octagrip 28
 Octave 94
 melody (see "Melody octave")
 tuning 116
 Octaves, stretched 119
 Oey, Mary 320
 Offset bass bridge 40
 Ohlendorf, Rick 234
 Oinking noise 490
 Old Brown Glue 335
 Oorebeek, André 157, 208
 Open-face pinblock 33, 440
 replacing 456
 Orange-peel look 470, 483
 Orbital sander 332
 Organizing a rebuilding shop 328
 Outer rim (Case) 23, 28
 Oval head screws 339

Over-centering of hammers 375, 386, 387
 Overdamper action (see "Birdcage action")
 Overdamping 11, 12
 Overpull 128
 Overs Pianos 17
 Overs, Ron 17
 Over-stringing 13, 20, 36, 37, 56, 73, 227
 Overtone 95
 Overview of rebuilding procedures 323
 Oxidized
 key capstans 155
 key pins 154

P

Paint (see also "Finish") 263
 Paint thinner 338
 Painter's tape 337
 Panels
 in pianos 28
 in verticals, removing 137
 of particleboard 28
 Pan-head screws 339
 Pantaleon Hebenstreit 2, 3, 6
 Pantalon 2
 Pape, Henri 10, 13
 Papps mute 111, 112
 Parham, John 253
 Paris Conservatory 9
 Paris exhibition in 1867 13
 Paris Green 136
 Parsons, Tremaine 419
 Partials
 coincident 96, 121
 prominence of 101
 Particleboard 28
 Parts
 action, comparing in grands 376
 action, rebushing 246
 action, repinning 244
 Pattern of tuning pins 131
 Paul Badura-Skoda 212
 Paul L. Jansen & Son, Inc 268
 Paul Revenko-Jones 437
 Paulello, Stephen 17, 224
 Pedal 23
 damper (sustain) 74
 damper lift 402
 damper lift rod 192
 damper lift, in verticals 196
 damper, regulating 179
 half-blow (see "Half-blow, pedal")
 linkage 74
 lyre 74
 moderator 76
 moderator, regulating 198
 noises in grands 493
 practice 76
 right 74
 rods 23, 76
 soft (see "Soft pedal")
 sostenuto 74, 76
 sostenuto, regulating 186
 sustain (see "Pedal, damper")
 trapwork in grands (linkage) 76
 vertical damper lift 190
 whoosh 183, 491
 Pedal box, detached 251
 Pedal rods
 adjusting 180
 noises 493
 Pédale d'expression 75
 Pedals 6, 8, 74
 description 74
 diagnosing 149
 loose, repairing 249
 noisy 492
 regulating 179
 repairing 249, 250, 253
 Penetrating oil 434
 Periodic maintenance 89
 Perma-Grit 202
 Peroxide, hydrogen, for bleaching white key tops 363
 Perspiration, effects on piano strings 224
 Peter Donhauser 8
 Peterson Strobe Tuner 126
 Petrof 36, 311, 410
 Petroleum jelly 145
 used on plate flange 454
 Pfeiffer, Walter 273
 Philadelphia Centennial Exhibition 14
 Phillips head screws 339
 Phillips, Ruth 263
 Phoenix 19, 56
 Phoenix Piano Company 25, 54
 Phoenix Pianos 319
 Phrygian mode 94
 Piano
 diagram 22
 Harmonic, by Michael Harrison 94
 prepared 224
 Sixteenth Tone 94
 Piano Forte Supply 59, 202, 208, 340, 347
 Piano Life Saver System (See "Damp-Chaser")
 Piano Scale Design Program 419
 Piano String Couplers 121
 Piano Technicians Guild xvi, 124, 126, 419, 458
 Piano Technicians Guild Foundation 15
 Piano Technicians Journal 253, 419, 458
 Piano Wrangler Equipment Co. 268
 PianoDisc 149
 PianoHorse 268
 Pianos Bolduc 259, 434, 435, 444, 445, 446, 449, 451, 452, 453, 454, 455, 458, 473, 514
 Pianotech x, 262, 383, 458, 516, 520
 Pianotek 91, 255, 265, 274, 346, 349, 384, 407, 414, 437, 458
 Pianoworld.com x, xvi, 383, 516, 520
 Piccolo piano 10
 Pierre Érard 12, 13, 320
 Pinblock 20, 21, 22, 28
 as precondition for tuning 131
 Bolduc router bit (see "Bolduc, pinblock router bit")
 brushing holes 421
 drilling 451
 fitting to the plate 54
 floating 33, 441
 full-fit 33, 441, 444
 Hexagrip 28, 32
 inspecting before restringing 419
 installing thinner to improve downbearing 449
 materials 441
 open face 33, 440, 456

- regular-fit 33, 441
- repairs 254
- replacing or rebuilding, overview 326
- replacing, in grands 440
- types, in grands 440
- Pins
 - balance rail 58, 76
 - bridge 21
 - bridge, installing 479
 - front, on key frame 58
 - hitch, Acu-Just 56
 - in bridges 40
 - in bridges, repairing loose 256
 - tuning 21
 - tuning, oblong 110
 - tuning, problems with 130
- Pitch
 - lowering 129
 - raising 128
- Pitchlock Inc. 121, 311
- Pitman dowel 23, 408
 - lubricating 493
 - modernizing 408
 - regulating 179
- Plain felts 340
- Planer, portable power 332
- Planer/jointer 331
- Planes 333
- Plastic
 - acrylic for key tops 354
 - black key tops 365
 - elbows 409
 - laminates for key tops 354
- Plastic cleaner 484
- Plastic piano 25, 66
- Plastic polish 484
- Plate 20, 22, 50
 - bolt 22
 - bushings 54, 326
 - bushings, applying CA glue to 255
 - changing inner tensions 133
 - composite 440
 - contraction 54
 - cracked 131
 - cracked, repairing 253
 - cupola 56
 - hitch pins 21
 - inspecting before restringing 419
 - internal stress 54
 - lifting out of the piano 435
 - loose 130
 - lowering 449
 - manufacture 54
 - marking gauge numbers on with stencils 440
 - nose bolts 20, 131
 - rebuilding, overview 326
 - regilding (refinishing) 439
 - reinstalling 436
 - removing 433
 - resonances 133
 - screws, tightening 130
 - stress 54
 - struts 22
 - struts, effects on tuning 133
 - support dowels 20, 22
 - suspension, nonstandard 433
 - three-quarter 33, 440
 - three-quarter, replacing pinblock 456
- Plate horn 21, 27, 28, 29, 204, 434, 436
- Plate Puller 329, 435
- Plates in grand legs 28
- Playability 273, 303, 306
 - improvement road map 310
- Plexiglas 215, 384
- Pleyel 13
- Pleyel, Ignace 10
- Pliers 333
- Plugs, hardwood 241
- Plunge router 331
- Pohlman, Johannes 9
- Polishing 89
- Polyester finish 28, 265, 481
- Polyurethane 481
- Polyvinyl glues (see “PVA glue,” “PVC-E glue”)
- Poppy Miles 238
- Pore filler 482
- Porous key tops, tools and materials 358
- Portable power tools 331
- Portable upright 10
- Portugal 1
- Pounding stick 112
- Powell, Sam 278
- Power tools 330
- Practice pedal 76
- Precision Dip Force Gauge 164
- Precision TouchDesign 273, 309
 - kit 274, 292
- Prelleiste 3
- Prellmechanik 3
- Premium Blue hammers 73, 384
- Pre-needling hammers 386
- Prepared piano 224
- Pressure bars 24, 430
- Pressure iron 6
- Pressure plates 339
- Pressure ridges 49
- Priming surface for finishing 482
- Pro Grade by 3M 338
- Projection of sound, increasing 211
- Prokofiev, Sergei 63
- Prolube 192
- Prolube (see “Protek, Prolube”)
- Protecting hearing xvii
- Protek
 - CLP 114, 144, 145, 146, 148, 193, 246, 249, 490
 - MPL-1 145
 - Prolube 114, 145, 192
- PSCALE 419
- Psychometer 85
- PTG (see “Piano Technicians Guild”)
- Pull saw 393, 394
- Puller, of grand plate 329, 435
- Pulley key 237, 314
- Pulling piano to pitch 128
- Punchings
 - balance rail 59
 - Crescendo 59, 340, 347
 - front 340
 - half-moon 315
- Pure Intonation tuning 94
- Pure Sound 224, 422
- Push action 3
- PVA glue 335, 366
 - low creep 336
- PVC-E glue 336, 366, 367
- Pyramid piano 8
- Pythagorean
 - comma 98
 - temperament 99
- Quartersawn
 - keys 61
 - lumber 50, 61
 - lumber, for bridge caps 474
 - lumber, for pinblocks 443
 - lumber, for soundboards 44, 441
- Queen Maria Barbara of Spain 2
- Quick Dry Tacky Glue 358
- QuickKey Leveler 163, 164
- Quicktite 336
- R
 - Rack for music, removing 136
 - Rail
 - belly 21
 - half-blow (see “Half-blow, rail”)
 - Rails
 - damaged, repairing 240
 - in piano action 66
 - Railsback curve 102, 104
 - Raised plate flange 21
 - Raising pitch 128
 - Raking buffing wheel 365
 - Range, expanding 12
 - Rasps 333
 - Ratchet brace 333
 - Ratio of action leverage (see “Action, leverage”)
 - Rats 88
 - Rattles
 - diagnosing 489
 - effect on tuning 133
 - in soundboard 261
 - Ravenscroft 17, 41
 - RC&S (see also “rib-crowned”) soundboard 49
 - Real-Time Specialties 125, 126
 - Reamalgamation solvent 481
 - Reaming
 - agraffe holes 437
 - holes in hammers 391
 - key balance holes 350
 - Rebounding of hammers 70
 - Rebuilding 317
 - shop requirements 327
 - Recrowning soundboard 460
 - Reducing height of agraffes 439
 - Refinishing 479
 - grand damper heads 401
 - overview 327
 - piano plate 439
 - soundboard 460, 468
 - Reflection of energy 6
 - by bridge pins 41
 - by bridges 36
 - by Phoenix rim 54
 - by plate 28, 51
 - by V bar 56
 - helped by pinblock 33
 - in soundboard 44, 49
 - Reflection of light 264, 484
 - by acrylic key tops 356
 - Reflection of sound
 - by fan 112, 133
 - effect on voicing 209
 - Reflective foil 364
 - Reflowing
 - finish 481
 - hammer hardener 215
 - old finish 481
 - Regilding piano plate 439
 - Regluing
 - fractured key 234
 - key button 234
 - key shoe 238
 - soundboard separations 459
 - soundboard to ribs and rim 463
 - split hammer shank 243
- Regular-fit pinblock 33, 441
- Regulating 135
 - action 166
 - as periodic maintenance 89
 - blow distance in verticals 195
 - damper spoons 197
 - dampers in verticals 196
 - grand action 166
 - grand action, rough 394
 - grand damper system 180
 - guide notes 166
 - jacks in pianos with let off capstans 177
 - key dip inside the piano 161
 - key frame glides 159
 - keyboard 158, 161
 - on piano's lid 137
 - on the bench 141
 - pedals 179
 - soft pedal 178
 - sostenuto 186
 - touchweight 396
 - vertical action 189
- Regulation Station (see “Grandwork Regulation Station”)
- Reinforcement, of hammer felt 73
- Relative humidity 84
- Releasing tension of strings 421
- Renaissance 99
- Renner 5, 24, 58, 66, 67, 71, 210, 247, 374, 380, 383, 406, 467
 - hammers 384
- Renner USA 68, 282, 384, 387, 407
- Repairs 221
- Repetition
 - grand lever height, regulating 177
 - see “Wippen” 67
 - speed of 77
- Repetition lever and spring 22, 76
 - lubricating 157
 - see also “Spring, repetition”
- Repetition-assisted English action 13
- Repinning action parts 244
- Replacing
 - agraffes 436
 - black key tops 365
 - bridge cap 473
 - bridle straps 411
 - broken string 223
 - damper felts in verticals 413
 - damper guide rail bushings 402
 - damper heads with wires 404
 - felts and leathers 340
 - grand backchecks 369
 - grand damper felts 400
 - grand damper underlevers 406
 - grand hammer shanks 380
 - grand hammers 383
 - grand pinblock 440
 - grand wippens 379
 - hammers and shanks in verticals 414
 - key bushings 347
 - key button 236
 - key end felts 353
 - key pins 345
 - key tops 238

- let off buttons 379
 - pinblock 441, 456
 - string in verticals 233
 - strings 418
 - vertical action parts 408
 - white key tops 354
 - Repositioning
 - action rack 315
 - key balance point 315
 - key capstans 313
 - knuckles 312, 313
 - wippen rail 315
 - Resetting hammer felt during voicing 211
 - Reshaping hammers before regulating action 166
 - Resonances
 - duplex 133
 - in soundboards 45
 - in the plate 133
 - Resonator, tension 25
 - Resonator, Treble Tone 458
 - Resonators, in spruce 44
 - Resorcinol 337
 - Restringing 418
 - grand pianos 423
 - overview 326
 - vertical pianos 430
 - Reveley, Jude 236, 288, 292, 313, 314, 394, 459, 466
 - Revenko-Jones, Paul 437
 - Revolving screen humidifier 87
 - Reyburn CyberTuner 126
 - Reyburn Piano Service 125
 - Reyburn Piano Tech 110
 - Rhodes, John 273, 290, 292, 299, 300, 501
 - Rib-crowned soundboards 49
 - Riblets 458
 - Ribs
 - in soundboards 20, 23, 45, 50
 - loose, effect on tuning 133
 - regluing soundboard to 463
 - Richard Dain 17, 19, 25, 43, 45
 - Richard Gertz 14, 25
 - Rick Baldassin 103, 128
 - Rick Ohlendorf 234
 - Ridges, pressure, in soundboards 49
 - Rim 19, 23, 24, 25
 - composite 24
 - inspecting before restringing 419
 - laminated (continuous) 24
 - outer (case) 28
 - spruce, in Bösendorfer 25
 - stiffness 44
 - Ring bridge 38
 - Ringling
 - hardener from felt 215
 - trough 216
 - Rippen 25, 27, 66
 - Robert Grijalva 458, 459
 - Robert Wornum 10, 11, 507
 - Robert Young 103, 106
 - Roberts, Dave 419
 - Robinson Strate-Mate 203
 - Rodents 88, 136
 - Rods in pedal linkages 76
 - Roger Jolly 165
 - Ron Nossaman 452
 - Ron Overs 17
 - Ronsen 71, 72
 - Root, of bridge 37
 - Rosin 421
 - Röslau 224, 422
 - Rotary sander 332
 - Rotary tool, high speed 331
 - Rough-regulating
 - grand action 394
 - vertical action 416
 - Round-head screws 339
 - Router 331
 - Roy Kehl 56
 - Royal Blue 73, 384
 - RR action 69
 - Rubbing, to clean satin finishes 90
 - Ruth Phillips 263
- S**
- SAE 20W oil 145
 - Sam Powell 278
 - Sam Son 149
 - Sander 331, 332
 - Sanderson Accu-Tuner 125
 - Sanding
 - block 337, 357
 - block, glass or granite 359
 - grid 338
 - hammers 211, 213, 216
 - hammers, cupped 386
 - keys on key frame 357
 - porous white key tops 363
 - sealer, applying 482
 - sponge 338
 - top layer of hammer felt 393
 - Sandpaper 337
 - 3M microfinishing film 202
 - sanding grid 338
 - Satin lacquer
 - repairing 264
 - rubbing 90
 - Satinizing finish 264, 484
 - Sauter 15, 41, 68, 77
 - Sauter, Carl 94
 - Saw, pull (see "Pull saw")
 - Sawhorse 268, 270, 271, 329, 435, 448, 461
 - Scale 94
 - break 133
 - design 51
 - design, effects on tuning 133
 - variations in inharmonicity 107
 - Scarlatti, Domenico 2
 - Schaff Piano Supply Co. 182, 227, 358, 384, 404, 407, 414
 - Schmitt, Jim 262
 - Schröter, Christoph Gottlieb 3, 6
 - Schwander 14, 67, 68, 175, 192, 288
 - action 77
 - butt spring 410
 - hammer butt 411, 413
 - Scientific notation xviii
 - Scipione Maffei 1, 2, 6
 - ScotchBlue 267
 - Scotch-Brite 263
 - Scott Jones 283, 311
 - Scraping, porous white key tops 363
 - Scratches, repairing 264
 - Screw 339
 - capstan 76
 - countersinking 339
 - extractor 262
 - holes, repairing 240
 - thread repair 243
 - threaded metal sleeves for machine screws 339
 - Screw stringer 14
 - Screwdrivers 333
 - Sébastien Érard 12, 13, 77, 320
 - SEER 86
 - Seesawing hammer and key 368, 371
 - Seiko 126
 - Selecting hammers 383
 - Semitone 94
 - Seni Igréc 82
 - Separations
 - in soundboards, regluing 459
 - on bridge joints, repairing 258
 - Sergei Prokofiev 63
 - Series of harmonics 95
 - Seven Years' War 8
 - Shank (see "Hammer shank")
 - Shaping hammer tails 71, 388
 - Sharps, replacing 365
 - Shead, Herbert A. xvii
 - Sheet-metal screws 258, 259, 261, 339, 463, 464, 465
 - Shelf
 - in bass bridges 20, 40
 - underlever (see "Underlever tray")
 - Shift pedal (see "Soft pedal")
 - Shifting key frame (see "Soft pedal")
 - Shigeru Kawai 17
 - Shimming
 - chisel 466
 - long bridge (see "Soundboard, crown, increasing")
 - soundboard cracks 318, 460, 465
 - Shock absorption, as a result of friction 142
 - Shoe 21, 27, 434, 436
 - Shop
 - climate, effects on refinishing 479
 - equipment and tools 329
 - organizing 328
 - requirements 327
 - Shoulders
 - of hammers 70, 208
 - of hammers, needling 211
 - Silbermann, Gottfried 2, 6
 - Silent piano 194
 - Silica 85
 - Silicon-carbide 201, 202, 222, 227, 337, 338
 - Silicone lubricants 145
 - silumin 25
 - Silver, German 143
 - Simple Green 89
 - Single (individually tied) strings 224
 - Sixteenth Tone Piano 94
 - Sizzling noises 489
 - Skid board 268
 - Sleeves, threaded for screws 339
 - Sliding friction 443
 - Sliding key frame (shifting key frame) 158
 - Sling psychometer 85
 - Slotted-head screws 339
 - Sluggish
 - action parts in verticals (verdigris) 374
 - keys 234
 - Soap
 - as lubricant 493, 494
 - bar 145
 - Socher, Johann 3
 - Socket, for grand casters 28
 - Soft pedal 74
 - regulating 178, 180
 - voicing for 213
 - Soft pencil 145
 - Soft Wax 264
 - Softener, fabric 215
 - Sohmer 43
 - Solvents 338
 - Son, Sam 149
 - Sostenuto 63, 121
 - blade 187, 188
 - bracket spring clamp 379
 - height gauge 188
 - monkey 154
 - monkey, removing 379
 - noises 493
 - pedal 74, 76
 - pedal, adjusting 180
 - regulating 186
 - rod 22, 63, 404
 - rod blade 187
 - rod, lubricating 186
 - rod, removing 379
 - Sound 43
 - envelope 43
 - regulating (see "Voicing")
 - sustain, related to rim or frame 25
 - transmission through bridges 36
 - transmitted to soundboard 43
 - volume 209
 - waves, reflection (see "Reflection of energy")
 - Soundboard 20, 23, 43
 - bleaching 469
 - clamping to rim 50
 - compression set 457
 - compression-crowned 49
 - cracks, shimming 318, 460, 465
 - crown (see "Crown")
 - decals, applying 472
 - density 50
 - diaphragmatic 47
 - finishing materials 469
 - fish 46
 - floating 46
 - impedance 44
 - inspecting before restringing 418
 - made of carbon fiber 19
 - manufacture of 50
 - pressure ridges 49
 - rattling, repairing 261
 - rebuilding 457
 - rebuilding, overview 327
 - recrowning 467, 475
 - refinishing 468
 - reflection (see "Reflection of energy")
 - regluing to ribs and rim 463
 - repairing or replacing 458
 - resonances 45
 - rib-crowned 49
 - ribs (see "Ribs, in soundboards")
 - shimming (see "Shimming soundboard cracks")
 - soaking with epoxy 459
 - stiffness and mass 44
 - thickness 44
 - Soundboard Repair System 466
 - Soundboard steel 90, 489
 - Sound-generating components 33
 - Southerland, David 2
 - Southwell, William 8
 - Spacing
 - between keys, regulating 162
 - of hammers, checking in grands 149
 - Spain 1

- Spanner 333
 Späth, Franz Jacob 9
 Speaking lengths, unequal 41
 Special Pressing hammers 384
 Special Repair Lacquer 264
 Spine 8
 Spinet grand 15, 321
 Splicing a string 223
 Spokeshave 333
 Sponge
 buffing (see “Buffing sponge”) tack 469
 tack, by Meguiars 471
 Spoon, grand wippen 22
 Spoons, damper, in verticals 77
 adjusting 197
 Spraying
 equipment for finishing work 479
 Spraying finish on soundboard 471
 Spring
 butterfly (see “Butterfly spring”) hammer butt 77
 hammer butt, variations in 68
 jack in verticals, inspecting 189
 jack, in verticals 77
 repetition 76, 77
 repetition, lubricating 157, 158
 repetition, regulating 175
 Spring clamp 311, 411
 for key bushings 348
 for key fronts 358
 on sostenuto bracket 187, 379
 Spring-assisted wippen (see “Wippen, spring-assisted”)
- Springs
 hammer butt, inspecting 191
 vertical damper lever, lubricating 192
- Spruce 44
 as material for piano keys 60
 quartersawn 50
 resonators 44
 shims for soundboard cracks 466
- Spurlock Specialty Tools 145, 185, 349, 385, 466
- Spurlock, Bill 194, 286, 393
- Square piano 15
 Mathushek’s Spinet Grand (see “Spinet grand”) rebuilding 321
- Squaring
 hammers 168
 keys 162
- Squeak 493
- Squealing noise 490
- Stability
 in tuning 84
 of action frame in verticals, inspecting 191
- Staccato xviii, 11, 63, 76, 97, 112, 148, 172, 178, 181, 183, 185, 186, 187, 278, 300, 301, 397, 497
- Staff 94
- Standard measurement position 276
- Stanwood
 Adjustable Leverage Action 315
 TouchDesign Kit (see “Precision TouchDesign, kit”)
- Stanwood, David 144, 214, 273, 283, 286, 288, 290, 291, 309, 315, 506
- Staple
 in hammers 73
 sostenuto, in New York Steinway grands 187
- Star-shaped back 25
- Static
 friction 443
 touchweight 276
- Stationary power tools 330
- Steaming keys to remove bushings 347
- Steam-treating hammer felt 71, 214
- Steel string (see “String”)
- Steel wool 265, 338
 wax 145, 265
- Stegemann, A. 68
- Stein, André 8
- Stein, Johann Andreas 3, 6, 8, 9, 12
- Steingraeber & Söhne 15, 17, 19, 43, 45, 75
- Phoenix 56
- Steinway 38, 41
 Accelerated Action 59, 315, 347
 bell 21, 496
 console verticals 430
 Diaphragmatic soundboard 47
 hammers 384
 soundboard edge, beveled 50
 Tubular Metallic Frame 66
 tubular rails, repairing 242
 wippens 67
- Steinway & Sons xi, 5, 13, 14, 16, 17, 21, 22, 26, 27, 28, 29, 30, 31, 32, 33, 35, 38, 39, 40, 42, 44, 45, 47, 51, 52, 53, 54, 55, 56, 58, 59, 65, 68, 72, 130, 143, 146, 154, 159, 163, 164, 172, 175, 186, 187, 188, 217, 225, 227, 237, 242, 244, 246, 247, 250, 252, 260, 261, 271, 282, 292, 300, 319, 325, 347, 352, 354, 377, 380, 383, 384, 395, 407, 442, 459, 472, 484, 486, 496, 499, 501, 507
- Hamburg 16, 21, 31, 59, 67, 313, 369, 384
- hammers 384
 history 13
- Steinway, Albert 13, 76
- Steinway, C.F. Theodor 21, 27, 36, 37, 38, 50, 56
- Steinway, Theodore E. 21
- Steinweg (see “Grottrian”)
- Stelzhammer, Anton 25, 27
- Stencils, dry transfer for gauge numbers on plate 440
- Step 94
- Stephen Birkett 300
- Stephen Brady 221, 374, 437
- Stephen Paulello 17, 224
- Stephen Paulello Piano Wire 422
- Stick 23
 pounding, for tuning 112
- Sticker 140
- Sticker cloth (see also “Action cloth”) 340
- Stiffness
 in soundboards 44
 of bass strings 34
 of strings 101
- Stöckle, Matthias 467
- Stodart, William 7, 8
- Stop rail
 for dampers 77
 for keys 22, 159, 166, 343
 for keys (see “Key, stop rail”)
- Stossmechanik 3
- Straight-stringing 27, 36, 38, 47
- Straps, bridle 341
- Strate-Mate 203, 205
- Stravinsky, Igor 63
- Streicher, Nannette 12
- Streicher, Nannette and Johann Andreas 3
- Strength, tensile of strings 33
- Strengthening attachment of baseboard 494
- Stress, in piano plates 54
- Stretch, in tuning 103
- Stretched octaves 119
- Stretcher 20, 22, 205
 detaching pinblock from 444
- Strike point 73, 208
 adjusting 375, 394
 adjusting, in verticals 193
- Strike weight 275, 286
 changing 308
 ratio 294
 spread 302
- String 22
 bass, twisting 231
 becket 223
 broken, replacing 223
 downbearing (see “Downbearing”) duplex segment 62
 German loop 225, 231
 leveling 202
 new, tuning 230
 segments, effects on tuning 131
 speaking segment length in unisons 41
 splicing 223
 stiffness 101
 touching a grand damper wire 183
- String bearings, diagnosing 322
- String level 204
- Stringer II 227
- Stringing 423
 backscale 49
 braid 341
 design 36
 types of 224
- Strings 33
 affected by perspiration 224
 bass 34
 binding 131
 diagnosing 322
 double 224
 downbearing 54, 84
 downbearing, diagnosing 322
 downbearing, measuring 419
 elastic limit 33
 fatigue 34
 handling 224
 individually-tied 224
 inharmonicities 34, 41
 mating hammers to 207
 new, tuning 129
 nickel-plated 34
 releasing tension of 421
 replacing 418
 replacing, overview 326
 setting the downbearing 475
 slipping 132
 steel 34
 tensile strength of 33
 to key bed distance, measuring 344
 touching tuning pins 132
 unequal speaking lengths 41
 voicing each in a unison 213
 wire gauge 34
 wound (bass) 34
- Strip mute 111, 112, 113, 116, 117, 118
- Stripper, chemical, for removing finishes 481
- Strobotuner 124
- Structure 24
 as precondition for tuning 131
 unstable 319
- Struts 22
 in plate, effects on tuning 133
- Stuart & Sons 17, 43, 56, 75
- Stuart, Wayne 17, 43
- Sturm, Fred 69, 109, 124, 130, 155, 165, 193, 210, 215
- Sugar pine, for piano keys 60
- Sugaring 214
- Super Lube 145
- Superglue (see “CA glue”)
- SuperJet 238
- Support spring (see “Wippen assist spring”)
- Surface
 of porous key tops, treating 363
 wooden, filling and priming 482
- Surform plane 333
- Sustain 43, 44, 209
 of sound, increasing 211
 of sound, related to rim and frame 25
 pedal 74
 pedal, regulating 179
- Swaging bass strings 34
- Syntonic comma 98, 117
- System Three 336, 459
- T**
- Tack rag 482
- Tack sponge 469, 471, 482
- Tactile Response System 63
- Tail, of piano 8
- Tails
 of hammers 73
 of hammers, shaping and tapering 388
- Talcum powder 145, 421
- Tap wrench 262, 437
- Tape
 adhesive 337
 duct 337
 masking 337
- Tape-check action 11
- Tapering
 hammer tails 388
 vertical piano hammer moldings 414
- Technisches Museum, Vienna 5, 6, 8, 10, 15, 27
- Teflon 66, 145, 146, 161, 246, 247, 350
- Temperament 94, 97
 circle 117
 Pythagorean 99
 strip (see “Strip mute”) tuning 117
- Temperature
 effects on pianos 87
 effects on relative humidity 84
 effects on tuning 130
- Tensile strength of strings 33
- Tension gauge 291, 292, 398
- Tension of strings, releasing 421
- Tension Resonator 14, 25, 27
- Tenuto xviii, 174
- Termites 88

- Testors 263
 TFL-50 145
 T-handle tap wrench 262, 437
 Tharan 355
 Theodor Steinway 21, 27, 36, 37, 38, 50, 56
 Theodore E. Steinway 21
 Thermoplastic PVA glues 335
 Thomas Broadwood 12
 Thomas Broukal 67
 Thread
 repair kit 243
 wood 339
 Threaded metal sleeves 339
 Threaded sleeve 262
 Threaded wires in grand dampers, modifying 404
 Three-quarter plate 440
 replacing pinblock 456
 Tilt, of action parts 168
 Tilting of tuning pins 452
 Timbre 96, 209
 evening variations in 213
 of sound (tone color) 209
 Timpani felt 340
 Tips of shanks, cutting 393
 Titebond 50 336, 454
 Titebond glue 335, 391
 Titebond III Ultimate Wood Glue 335
 Titebond Liquid Hide Glue 335
 Toe 21, 434, 436
 Toe rail 253
 noises 494
 Tokiwa 374
 Toluol 338
 Tonal gradient 70, 199
 Tone
 affected by keyboard noises 62
 color (see also “Timbre”) 209
 color, evening 213
 effect on perception of touch 302
 evaluating 208
 quality, defined by prominence of partials 101
 regulating (voicing) 73
 Tone Collector 27
 Tone Resonator 458
 Toneplus 384
 Tonewood 44
 Tool, rotary, high speed 331
 Tools
 hand 333
 in a rebuilding shop 329
 power, portable 331
 Toothpick 240
 Top stack 63, 148, 151, 157, 159, 201, 240, 291
 affecting the measurement of wippen assist springs 311
 avoiding having to remove 161
 moving forward or backward 315
 removing from keyboard 154
 tilt forward 157
 tilted forward 146
 tipping forward 157
 turning upside down 157
 Torque 143
 Touch, adjusting weight of 396
 TouchDesign (see “Precision TouchDesign”)
 Touching up
 edges 484
 finish 263
 TouchRail 311
 Touchweight 273, 275, 276, 396
 adjusting 396
 calculating 294
 controlling 308
 evaluating when replacing hammers 307
 glossary 290
 issues 304
 metrology 273
 troubleshooter 306
 Toxic chemicals 136
 TPR Tools 141, 142, 167, 204, 205
 Trakoscan 11
 Transmission
 of sound 43
 of sound, through bridges 36
 Transporting grand action and keyboard 137
 Transversal mode of vibration 46
 Transverse bar (see “Capo tasto”)
 Trapwork 23, 76
 lubricating 179
 Trautwein xiii
 Traveling
 action parts with flanges 168
 grand dampers 182
 grand shanks 167
 grand wippens 170, 380
 vertical hammers 193
 vertical wippens 191
 TravelSmart 214
 Tray, underlever (see “Underlever tray”)
 Treble Tone Resonator 458
 Treble tuning 112, 121
 Tremaine Parsons 419
 Trigger point massage xvii
 Tritone 97
 Troubleshooter
 action geometry 304
 aftertouch 305
 touchweight 306
 Trough (see “Rinsing, trough”)
 Tubular action rails 340
 Tubular Metallic Frame 66, 68
 Tubular rails, repairing 242
 Tunability 131
 TuneLab 126
 Tuners, electronic 125
 Tuning 93
 as periodic maintenance 89
 lowering pitch 129
 new string 129, 230
 stability, affected by humidity 84
 Tuning hammer 107
 choosing 109
 Tuning pin 22
 bending 130
 bushings in the plate 54
 holes, drilling in new pinblock 451
 torque, improving 255
 twisting 130
 Tuning pins 21
 brushing holes 421
 hammering 254
 hammering down 230
 jumpy 130
 loose 130
 oblong 110
 offset pattern 131
 replacing, overview 326
 tightness of 130
 tilt 452
 Turbo wippen (see “Spring-assisted wippen”)
 Turkish music 8
 Twelve Apostles 8
 Twisting a bass string 231
 Two-component finishes
 high-gloss 483
 repairing 265
 Typesetting music 11
U
 Ulrich Laible 4
 Ultimate Wood Glue 335
 Ultrasonic humidifier 87, 328
 Umbrella tool 249
 Una corda pedal (see “Soft pedal”)
 Under-centering of hammers 278, 375, 386, 387, 449
 Underfelt
 in dampers 74
 of hammers 73
 Underlevel 204, 205
 Underlever tray 22, 248, 251, 270, 404, 406, 407, 493
 replacing 407
 Underlevers 22
 aligning to key end felts 407
 distance to key bed, measuring 400
 functioning 77
 lubricating 182
 of grand dampers, rebuilding vs. replacing 405
 replacing 406
 Understring felt 22, 340
 Understring-style stringleveling tool 204
 Unison
 affected by temperature changes 130
 tuning 114
 voicing 213
 Unshaped plastic laminates for key tops 354
 Unstable structure 319
 Upweight 276
V
 V bar 56, 114
 friction 131
 grooved 132
 Vagias snap-on elbows 409
 Vapor, protection from 84
 Varnish 481
 brushing, on soundboards 470
 Velo, Hans 46, 306, 311, 419
 Velocity leverage (see “Leverage”)
 Veneer 28
 Ventilation 328
 during refinishing 479
 Verdigris xvii, 145, 246, 247, 374, 385
 Verituner 102, 126
 Vertical
 action 68
 action diagram 64
 action regulation 189
 action, rebuilding 408
 action, removing 140
 action, rough-regulating 416
 backcheck felt 340
 Fandrich, back 25
 keyboard regulation 158
 keyboard vs. grand keyboard 343
 panels, removing 137
 piano, creaking noise 490
 piano, development of 15
 piano, noises in pedals 493
 piano, rebuilding 320
 piano, restringing 430
 pressure bars 430
 raised plate flange 21
 Vibrating sander 332
 Vibration
 longitudinal mode 44, 46
 mode of 46
 transversal mode 46
 Vice, inherent 319
 Viennese action 3, 13, 341
 Vietor, Frederick 59
 Vise, angle, for drilling hammers 387
 Voicing 73, 199
 dense hammers 209
 for shifting soft pedal 213
 lubricating needles with lanolin 210
 mating hammers to strings 207
 new hammers 394
 resetting hammer felt 211
 soft hammers 216
 Volume 209
 of sound, increasing 213
 of sound, lowering 212
 Vortex tube chiller 32, 33, 439, 442, 451
 VS Profelt 215
W
 W.V. McFerrin 142
 Walter 49
 Walter Pfeiffer 273
 Walter, Anton 5, 6
 Warm-pressed hammers 71, 384
 Warpage 83
 of keys 60
 Water separator 479
 Water vapor 84
 Waterfalls 481
 Water-white finish 469
 Wathen, Michael 43
 Watson, John 4, 7, 89, 136, 320
 Wave impedance 44
 Wave velocity 101
 Wavelength 101
 Wax, as lubricant for steel wool (see “Steel wool, wax”)
 Wayne Stuart 17, 43
 WD-40 114
 as lubricant 145
 Webb, Kent 16, 85, 146
 Weber 149
 Wedge
 for increasing soundboard crown 467
 locking grand legs 28
 Wedges or cauls for key bushings 348
 Weickert felt 72
 Weickert Special hammers 71
 Weighing new hammers 386
 Weight
 balance model 289
 of touch (see “Touchweight”)
 ratio (see “Strike-weight ratio”)
 strike (see “Strike weight”)
 Weight ratios 287
 Weightbench 273, 299
 kit 274

- Weighting keys 397
- Weights
 brass, used for improving sustain 459
 lead, in keys 397
 lead, installing/removing 397
- Weldbond 336, 391
- Well temperament 99
- Weltman 3
- Wessell, Nickel & Gross 62, 66, 143, 169, 243, 244, 247, 280, 312, 314, 319, 325, 341, 345, 346, 374, 375, 381, 385, 386, 388, 391, 407, 434
- West System 336
- Wet bulb 85
- Wetordry sandpaper 338
- White
 buffing compound for white key tops 364
 glue 336
 key top 22
 key tops, replacing 354
 keys 94
- White, William 275
- Whole step (whole tone) 94
- Whoosh noise (see “Pedal, whoosh”)
- William Southwell 8
- William Stodart 7, 8
- William White 275
- Winding, copper, on bass strings 34
- Wippen 22, 76
 assist spring 67, 178, 287, 291, 292, 294, 297, 309, 310, 311, 312, 397
 assist spring, too strong 276, 394
 butterfly spring (see “Butterfly spring”)
 center pins, in verticals 191
 flange 22
 Herrburger-Schwander 67
 jack 76
 radius weight 288
 rail 22
 ratio 280
 repetition lever, spring 76
 repetition spring 76, 77
 spoon 22
 spring-assisted 67, 297, 309, 311
 stack weight 291
 Steinway 67
 weight ratio 291
- Wippen radius weight 288, 309
- Wippen rail, repositioning 315
- Wippens 67, 409
 checking 157
 grand, comparing 376
 grand, replacing 379
 grand, traveling 170, 380
 in verticals, rebuilding 409
- Wire
 cutting pliers 333
 handling 224
 lead 308
 piano strings 33
- Wire gauge 34
- Wires
 backcheck, to replace or not 369
 fluted in grand backchecks 371
 threaded in grand backchecks 371
- Wixey angle gauge 417
- Wogram, Klaus 45
- Wolf fifth 99
- Wolfgang Amadeus Mozart 3, 6, 9, 11
- Wood
 affected by humidity 84
 compression set in 457
 expansion 83
 gluing felt and leather on 342
 screws 339
 thread on screws 339
 warpage 83
- Wood-boring insects 88
- Wooden surface, preparing for finishing 482
- Woodworms 88, 319
- Wool 71
 for piano hammer felt 71
 steel 338
- Wool, lap of 71
- Woolly mammoth ivory 355
- Workbench 329
- Worksheet
 action leverage 281
 front-weight 293
 hammer strike weight 285
 Touchweight 277
- Wornum, Robert 10, 11, 507
- Wound strings (bass strings) 34
- Wrenches 333
- Wrestplank (see “Pinblock”)
- Wright, Allen 89, 157, 171, 211, 213, 228, 237, 261, 423, 425, 472
- Wurlitzer 149
- Wurzen 72
 AA felt 384
- X**
- Xylol 338
- Y**
- Yamaha 16, 17, 25, 61, 63, 66, 68, 69, 89, 126, 170, 171, 172, 176, 192, 198, 227, 251, 252, 355, 380, 382
- Yellow wood glue 335
- Young Chang 149
- Young, Robert 103, 106
- Z**
- Zachariae 76
- Zap a Gap 255
- ZAP-08 255
- Zing noise 490
- Zither 3
- Zumpe, Johannes 4, 6, 9, 10

